

Revision date 07-Nov-2022

KITCHEN & BATHROOM SILICONE NC TRANSLUCENT

Revision Number 5.01 Supersedes Date: 23-Feb-2021

Section 1: Identification: Product identifier and chemical identity

Product identifier

Product Name KITCHEN & BATHROOM SILICONE NC TRANSLUCENT

Product Code(s) 30840127 30840127

Other means of identification

Pure substance/mixture Mixture

Recommended use of the chemical and restrictions on use

Recommended use Sealant

Uses advised against No information available

Details of manufacturer or importer

Supplier

Bostik Australia Pty Ltd 51-71 High Street, Thomastown Victoria Australia

Tel: 613 9279-9333

Fax: 613 9279-9342

ABN: 79 003 893 838

E-mail address au-bostik-sds@bostik.com

Emergency telephone number

Emergency telephone number 24-hr Emergency: 1800 033 111

Section 2: Hazard(s) identification

GHS Classification

Skin sensitization	Category 1B - (H317)
Carcinogenicity	Category 2 - (H351)
Reproductive toxicity	Category 1B - (H360)

Label elements

Exclamation mark Health hazard

Australia - EN Page 1 / 10

KITCHEN & BATHROOM SILICONE NC TRANSLUCENT

Revision Number 5.01 Supersedes Date: 23-Feb-2021

Revision date 07-Nov-2022





Signal word DANGER

Hazard statements

H317 - May cause an allergic skin reaction

H351 - Suspected of causing cancer

H360 - May damage fertility or the unborn child

Precautionary Statements - Prevention

Obtain special instructions before use

Do not handle until all safety precautions have been read and understood

Wear protective gloves/clothing and eye/face protection

Avoid breathing dust/fume/gas/mist/vapors/spray

Contaminated work clothing must not be allowed out of the workplace

Precautionary Statements - Response

IF exposed or concerned: Get medical advice/attention

IF ON SKIN: Wash with plenty of water and soap

If skin irritation or rash occurs: Get medical advice/attention

Take off contaminated clothing and wash it before reuse

Precautionary Statements - Storage

Store locked up

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

Other hazards which do not result in classification

Small amounts of methanol (CAS 67-56-1) are formed by hydrolysis and released upon curing.

Small amounts of 2-butanone, oxime (CAS 96-29-7) are formed by hydrolysis and released upon curing.

May be harmful if swallowed.

May be harmful in contact with skin.

Causes mild skin irritation.

Standard for Uniform Scheduling of Medicines and Poisons (SUSMP)

Classified as a scheduled poison according to the Standard for Uniform Scheduling of Medicines and Poisons (SUSMP)

Poison Schedule Number

Label requirements in accordance with SUSMP

POISON

KEEP OUT OF REACH OF CHILDREN

READ SAFETY DIRECTIONS BEFORE OPENING OR USING

Section 3: Composition and information on ingredients, in accordance with Schedule 8

Substance

Not applicable

Mixture

Chemical name	CAS No	Weight-%
2-Butanone, O,O',O"-(methylsilylidyne)trioxime	22984-54-9	< 5%
2-Butanone, oxime	96-29-7	< 2%
N-(3-(trimethoxysilyl)propyl)ethylenediamine	1760-24-3	<= 1%

Australia - EN Page 2/10

KITCHEN & BATHROOM SILICONE NC TRANSLUCENT

Revision Number 5.01 Supersedes Date: 23-Feb-2021

Revision date 07-Nov-2022

Propiconazole	60207-90-1	< 1%
Non-hazardous ingredients	Proprietary	Balance

Section 4: First aid measures

Poisons Information Center, Australia: 13 11 26 **Emergency telephone number**

Poisons Information Center, New Zealand: 0800 764 766

Description of first aid measures

General advice Show this safety data sheet to the doctor in attendance. If medical advice is needed,

have product container or label at hand.

Inhalation Remove to fresh air. If symptoms persist, call a physician.

Immediately flush with plenty of water. After initial flushing, remove any contact lenses Eye contact

and continue flushing for at least 15 minutes. Consult an ophthalmologist.

Skin contact Wash with soap and water. May cause an allergic skin reaction. In the case of skin

irritation or allergic reactions see a physician.

Ingestion Never give anything by mouth to an unconscious person. Rinse mouth thoroughly with

water. Drink 1 or 2 glasses of water. Do NOT induce vomiting.

Most important symptoms and effects, both acute and delayed

Symptoms None known.

Indication of any immediate medical attention and special treatment needed

Note to physicians Treat symptomatically.

Section 5: Firefighting measures

Suitable Extinguishing Media

Suitable extinguishing media Water spray, carbon dioxide (CO2), dry chemical, alcohol-resistant foam.

Unsuitable extinguishing media Full water jet.

Specific hazards arising from the chemical

chemical

Specific hazards arising from the Thermal decomposition can lead to release of irritating gases and vapors.

Hazardous combustion products

Carbon dioxide (CO2). Nitrogen oxides (NOx). Silicon oxides.

Special protective actions for fire-fighters

Special protective equipment and Wear self contained breathing apparatus for fire fighting if necessary.

precautions for fire-fighters

Section 6: Accidental release measures

Personal precautions, protective equipment and emergency procedures

Personal precautions Do not get in eyes, on skin, or on clothing. Use personal protective equipment as

required. Ensure adequate ventilation.

Australia - EN Page 3/10

KITCHEN & BATHROOM SILICONE NC TRANSLUCENT

Revision Number 5.01 Supersedes Date: 23-Feb-2021

Other information Refer to protective measures listed in Sections 7 and 8.

For emergency responders Use personal protection recommended in Section 8.

Environmental precautions

Environmental precautions Prevent product from entering drains. Do not allow to enter into soil/subsoil. See Section

12 for additional Ecological Information.

Methods and material for containment and cleaning up

Methods for containment Do not scatter spilled material with high pressure water streams.

Methods for cleaning up Pick up and transfer to properly labeled containers.

Precautions to prevent secondary hazards

Prevention of secondary hazards Clean contaminated objects and areas thoroughly observing environmental regulations.

Section 7: Handling and storage, including how the chemical may be safely used

Precautions for safe handling

Advice on safe handling Handle in accordance with good industrial hygiene and safety practice. Avoid contact

with skin, eyes or clothing. Ensure adequate ventilation. In case of insufficient ventilation, wear suitable respiratory equipment. Do not eat, drink or smoke when using this product. Take off contaminated clothing and wash before reuse. Remove contaminated clothing

Revision date 07-Nov-2022

and shoes.

General hygiene considerations Do not eat, drink or smoke when using this product. Wash hands before breaks and after

work. Take off contaminated clothing and wash it before reuse.

Conditions for safe storage, including any incompatibilities

Storage Conditions Protect from moisture. Keep away from food, drink and animal feeding stuffs.

Recommended storage

temperature

Keep at temperatures between 50 and 95 $^{\circ}\text{F}$ / 10 and 35 $^{\circ}\text{C}.$

Incompatible materials Strong oxidizing agents.

This material is a scheduled poison and must be stored, maintained and used in accordance with the relevant regulations

Section 8: Exposure controls and personal protection

Control parameters

Exposure Limits Small amounts of methanol (CAS 67-56-1) are formed by hydrolysis and released upon

curing. Small amounts of 2-butanone, oxime (CAS 96-29-7) are formed by hydrolysis and

released upon curing.

Appropriate engineering controls

Engineering controls Showers, eyewash stations, and ventilation systems.

Individual protection measures, such as personal protective equipment

Eye/face protection Wear safety glasses with side shields (or goggles).

Australia - EN Page 4 / 10

KITCHEN & BATHROOM SILICONE NC TRANSLUCENT

Revision Number 5.01 Supersedes Date: 23-Feb-2021

Revision date 07-Nov-2022

Skin and body protection Wear suitable protective clothing.

Hand protection Wear suitable gloves.

Respiratory protection Organic gases and vapors filter conforming to EN 14387. White. Brown.

Environmental exposure controls Do not allow into any sewer, on the ground or into any body of water.

Section 9: Physical and chemical properties

Information on basic physical and chemical properties

Physical state Paste / Gel Liquid

Appearance Paste Color clear

Odor Characteristic

Odor threshold No information available

Property Values Remarks • Method

pH No data available Not applicable Insoluble in water

pH (as aqueous solution)
Melting point / freezing point
Initial boiling point and boiling

No data available
No data available

range

Flash point

Evaporation rate

No data available
No data available

Flammability Not applicable for liquids .

Flammability Limit in Air

Upper flammability or explosive No data available

limits

Lower flammability or explosive No data available

limits

Vapor pressureNo data availableRelative vapor densityNo data available

Relative density 1.01

Water solubility
Solubility(ies)
Partition coefficient
Autoignition temperature
Decomposition temperature
Kinematic viscosity
Insoluble in water
No data available
No data available
No data available
No data available

Dynamic viscosity

Explosive properties

Oxidizing properties

150000 - 250000 mPa s

No information available

No information available

Other information

Solid content (%)

Liquid Density

No information available
No information available

VOC content No information available

Section 10: Stability and reactivity

Reactivity

Reactivity Product cures with moisture.

Chemical stability

Stability Stable under normal conditions.

Explosion data

Australia - EN Page 5/10

KITCHEN & BATHROOM SILICONE NC TRANSLUCENT

Revision Number 5.01 Supersedes Date: 23-Feb-2021

_

Sensitivity to mechanical

impact

None.

Sensitivity to static discharge None.

Possibility of hazardous reactions

Possibility of hazardous reactions None under normal processing.

Conditions to avoid

Conditions to avoid Product cures with moisture. Protect from moisture. Exposure to air or moisture over

prolonged periods. Do not freeze. Keep away from open flames, hot surfaces and

Revision date 07-Nov-2022

sources of ignition.

Incompatible materials

Incompatible materials Strong oxidizing agents.

Hazardous decomposition products

Hazardous decomposition

products

May emit toxic fumes under fire conditions. Small amounts of methanol (CAS 67-56-1)

are formed by hydrolysis and released upon curing.

Section 11: Toxicological information

Acute toxicity

Information on likely routes of exposure

Product Information

Inhalation Based on available data, the classification criteria are not met.

Eye contact Based on available data, the classification criteria are not met.

Skin contact May cause sensitization by skin contact. Specific test data for the substance or mixture is

not available. Repeated or prolonged skin contact may cause allergic reactions with susceptible persons. (based on components). Causes mild skin irritation. May be harmful

in contact with skin.

Ingestion May be harmful if swallowed.

Symptoms Itching. Rashes. Hives. Prolonged contact may cause redness and irritation.

Numerical measures of toxicity - Product Information

The following values are calculated based on chapter 3.1 of the GHS document

ATEmix (inhalation-dust/mist) 150.00 mg/l

On basis of test data

Oral LD50 > 2009 mg/kg (rat) **Dermal LD50** > 2009 mg/kg (rat)

Component Information

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
2-Butanone,	LD50 = 2463 mg/Kg (Rattus)	LD50 >2000 mg/Kg (Rattus)	-
O,O',O"-(methylsilylidyne)trioxi	(OECD 401)	(OECD 402)	
me			
2-Butanone, oxime	=100 mg/kg (ATE)	1000 - 1800 mg/kg	>4.83 mg/L (Rattus) 4 h

Australia - EN Page 6 / 10

KITCHEN & BATHROOM SILICONE NC TRANSLUCENT

Revision Number 5.01 Supersedes Date: 23-Feb-2021

Revision date 07-Nov-2022

		(Oryctolagus cuniculus)	
N-(3-(trimethoxysilyl)propyl)eth	=2295 mg/kg (Rattus)	>2000 mg/Kg (Rattus)	LC50 4H (Aerosol)1.5 - 2.44
ylenediamine			mg/L air
Propiconazole	=1517 mg/kg (Rattus)	> 4 g/kg (Rattus) > 4000	=1264 mg/m³ (Rattus) 4 h >
·		mg/kg (Oryctolagus cuniculus)	5800 mg/m³ (Rattus) 4 h

See section 16 for terms and abbreviations

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritationClassification based on data available for ingredients. Causes mild skin irritation.

Serious eye damage/eye irritation No information available.

Respiratory or skin sensitization May cause an allergic skin reaction.

Germ cell mutagenicityNo information available.

Carcinogenicity Contains a known or suspected carcinogen. Classification based on data available for

ingredients. Suspected of causing cancer.

The table below indicates whether each agency has listed any ingredient as a carcinogen.

Chemical name	Australia	European Union	IARC	
2-Butanone, oxime 96-29-7	Carc. 2	Carc. 1B		
Component Information				
2-Butanone, oxime (96-29-7)				
Method	Species	Results		
OECD Test No. 453: Combined Chror	nic Rat	Carcinog	enic	
Toxicity/Carcinogenicity Studies				

Reproductive toxicity Contains a known or suspected reproductive toxin. Classification based on data available

for ingredients. May damage fertility or the unborn child.

STOT - single exposure Based on available data, the classification criteria are not met.

STOT - repeated exposureBased on available data, the classification criteria are not met.

Aspiration hazard No information available.

Section 12: Ecological information

Ecotoxicity

Aquatic ecotoxicity

Chemical name	Algae/aquatic plants	Fish	Toxicity to	Crustacea
			microorganisms	
2-Butanone,	EC50 (72h) = 94 mg/L	EC50 (96h) >120 mg/L	-	EC50 (48h) > 120 mg/L
O,O',O"-(methylsilylidyn	(Pseudokirchneriella	(Oncorhynchus		(Daphnia magna) OECD
e)trioxime	subcapitata) OECD 201	mykiss)Freshwater static		202
22984-54-9	. ,	(OECD guideline 203)		

Australia - EN Page 7 / 10

KITCHEN & BATHROOM SILICONE NC TRANSLUCENT

Revision Number 5.01 Supersedes Date: 23-Feb-2021

Revision date 07-Nov-2022

2-Butanone, oxime	EC50: =83mg/L (72h,	LC50: =760mg/L (96h,	EC50 = 281 mg/L 17 h	EC50: =750mg/L (48h,
96-29-7	Desmodesmus	Poecilia reticulata) LC50:	EC50 = 950 mg/L 5 min	Daphnia magna)
	subspicatus)	777 - 914mg/L (96h,	-	
		Pimephales promelas)		
		LC50: 320 - 1000mg/L		
		(96h, Leuciscus idus)		
N-(3-(trimethoxysilyl)pro	-	LC50 (96H) =597 mg/L	-	EC50 (48h) =81mg/L
pyl)ethylenediamine		(Danio rerio)Semi-static		Daphnia magna Static
1760-24-3				

Persistence and degradability

Persistence and degradability Not readily biodegradable. Product cures with moisture.

Bioaccumulative potential

Bioaccumulation There is no data for this product.

Component Information

Chemical name	Partition coefficient
2-Butanone, O,O',O"-(methylsilylidyne)trioxime	1.69
22984-54-9	
2-Butanone, oxime	0.65
96-29-7	
N-(3-(trimethoxysilyl)propyl)ethylenediamine	-0.3
1760-24-3	

Mobility

Mobility in soil No information available.

Mobility No information available.

Other adverse effects

Other adverse effects No information available.

Chemical name	EU - Endocrine Disrupters Candidate List	EU - Endocrine Disrupters - Evaluated Substances	Endocrine disrupting potential
Propiconazole 60207-90-1	Group III Chemical	-	-

Section 13: Disposal considerations

Disposal methods

Waste from residues/unused Uncured product should be disposed of as hazardous waste. Dispose of

products contents/container in accordance with local, regional, national, and international

regulations as applicable.

Contaminated packaging Handle contaminated packages in the same way as the product itself.

Section 14: Transport information

ADG Not regulated

<u>IATA</u> Not regulated

Australia - EN Page 8 / 10

KITCHEN & BATHROOM SILICONE NC TRANSLUCENT

Revision Number 5.01 Supersedes Date: 23-Feb-2021

Revision date 07-Nov-2022

IMDG Not regulated

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

No information available

Section 15: Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulations

<u>Australia</u>

See section 8 for national exposure control parameters

Standard for Uniform Scheduling of Medicines and Poisons (SUSMP)

Classified as a scheduled poison according to the Standard for Uniform Scheduling of Medicines and Poisons (SUSMP)

Poison Schedule Number 6

International Inventories

AIIC Listed
NZIOC Listed
ENCS Not Listed
IECSC Listed
KECL Not Listed
PICCS Listed

Legend:

AIIC - Australian Inventory of Industrial Chemicals

NZIoC - New Zealand Inventory of Chemicals

ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

International Regulations

The Montreal Protocol on Substances that Deplete the Ozone Layer Not applicable

The Stockholm Convention on Persistent Organic Pollutants Not applicable

The Rotterdam Convention Not applicable

Europe

Registration, Evaluation, Authorization, and Restriction of Chemicals (REACh) Regulation (EC 1907/2006)

SVHC: Substances of Very High Concern for Authorization:

This product does not contain candidate substances of very high concern at a concentration >=0.1% (Regulation (EC) No. 1907/2006 (REACH), Article 59)

2015/863/EU - RoHS

This product does not contain Lead, Cadmium, Mercury, Hexavalent chromium, Polybrominated biphenyls (PBB), Polybrominated diphenyl ethers (PBDE), Bis(2-Ethylhexyl) phthalate (DEHP), Benzyl butyl phthalate (BBP), Dibutyl phthalate (DBP) and Diisobutyl phthalate (DIBP) above the regulated limit mentioned in this regulation

Australia - EN Page 9/10

KITCHEN & BATHROOM SILICONE NC TRANSLUCENT

Revision Number 5.01 Supersedes Date: 23-Feb-2021

Revision date 07-Nov-2022

Section 16: Any other relevant information

Prepared By Product Safety & Regulatory Affairs

Revision date 07-Nov-2022

Revision Note

SDS sections updated. 2. 3. 9. 11.

Key or legend to abbreviations and acronyms used in the safety data sheet

Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

TWA TWA (time-weighted average) STEL STEL (Short Term Exposure Limit)

Ceiling Maximum limit value * Skin designation

C Carcinogen

Section 11: TOXICOLOGICAL INFORMATION

LD50 (lethal dose)

Section 12: Ecological information

EC50 (effective concentration)

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

End of Safety Data Sheet

Australia - EN Page 10 / 10