SAFETY DATA SHEET

Revision date: 02-Sep-2021



Revision Number 6

1. IDENTIFICATION OF THE MATERIAL AND SUPPLIER

Product identifier		
Product Name	SODIUM NITRATE	
Product Code(s)	000031030401	
Other means of identification		
UN number	1498	
CAS No.	7631-99-4	
Synonyms	Nitrate of soda; Chilean saltpetre; Soda niter; Nitric acid, sodium salt.	
Recommended use of the chemical and restrictions on use		
Recommended use	Catalyst. Preservative. Propellant. Fertilizers.	
Uses advised against	No information available.	

Supplier Ixom Operations Pty Ltd ABN: 51 600 546 512 Level 8, 1 Nicholson Street Melbourne 3000 Australia

Telephone Number: +61 3 9906 3000

Emergency telephone number

Emergency telephone number

er 1 800 033 111 (ALL HOURS)

Please ensure you refer to the limitations of this Safety Data Sheet as set out in the "Other Information" section at the end of this Data Sheet.

2. HAZARDS IDENTIFICATION

GHS Classification

Classified as dangerous goods in accordance with the Australian Code for the Transport of Dangerous Goods by Road and Rail (ADG).

Classified as a hazardous chemical in accordance with the criteria of Safe Work Australia - Globally Harmonized System (GHS).

Oxidizing solids	Category 3
Acute toxicity - Oral	Category 4
Serious eye damage/eye irritation	Category 2

SIGNAL WORD Warning

Label elements



Hazard statements

H272 - May intensify fire; oxidizer H302 - Harmful if swallowed H319 - Causes serious eye irritation

Precautionary Statements - Prevention

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking Keep/Store away from clothing/ combustible materials Take any precaution to avoid mixing with combustibles Wash hands thoroughly after handling Do not eat, drink or smoke when using this product Wear eye/face protection IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing If eye irritation persists: Get medical advice/attention IF SWALLOWED: Call a POISON CENTER or doctor if you feel unwell Rinse mouth In case of fire: Use extinguishing media as outlined in Section 5 of this Safety Data Sheet for extinction. **Precautionary Statements - Storage** No storage statements **Precautionary Statements - Disposal** Dispose of contents/container in accordance with local, regional, national, and international regulations as applicable Other hazards which do not result in classification **General Hazards**

Poisons Schedule (SUSMP) None allocated

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical nature

Contains anticaking agent.

Chemical name	CAS No.	Weight-%
Sodium nitrate	7631-99-4	>=99%

4. FIRST AID MEASURES

Description of first aid measures

Emergency telephone number	Poisons Information Center, Australia: 13 11 26 Poisons Information Center, New Zealand: 0800 764 766
Inhalation	Remove to fresh air and keep at rest in a position comfortable for breathing. If breathing is difficult, (trained personnel should) give oxygen. If breathing is irregular or stopped, administer artificial respiration. Call a physician if symptoms occur.

Eye contact	Rinse thoroughly with plenty of water for at least 15 minutes, lifting lower and upper eyelids. Consult a physician.
Skin contact	Wash off immediately with plenty of water. Call a physician if symptoms occur.
Ingestion	Clean mouth with water. Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Get medical attention if symptoms occur.
Most important symptoms and effect	ets, both acute and delayed
Symptoms	Irritation.
Indication of any immediate medica	l attention and special treatment needed
Note to physicians	Treat symptomatically. May cause methemoglobinemia. Clinical findings: The smooth muscle relaxant effect of nitrate salts may lead to headache, dizziness and marked hypotension. Cyanosis is clinically detectable when approximately 15% of the haemoglobin has been converted to methaemoglobin (ferric iron). Symptoms such as headache, dizziness, weakness and dyspnoea occur when methemoglobin concentrations are 30% to 40%; at levels of about 60% stupor, convulsions, coma and respiratory paralysis occur and the blood is a chocolate brown colour. At higher levels death may result. Spectrophotometric analysis can determine the presence and concentration of methemoglobin in the blood.
	Treatment: Give 100% oxygen. In cases of (a) ingestion: use gastric lavage, (b) contamination of skin (unburnt or burnt): continue washing to remove salts. Observe blood pressure and treat hypotension if necessary. When methaemoglobin concentrations exceed 40% or when symptoms are present, give methylene blue 1 or 2 mg/kg body weight in a 1% solution by slow intravenous injection. If cyanosis has not been resolved within one hour a second dose of 2 mg/kg body weight may be given. The total dose should not exceed 7 mg/kg body weight as unwanted effects such as dyspnoea, chest pain, vomiting, diarrhoea, mental confusion and cyanosis may occur. Without treatment methaemoglobin levels of 20-30% revert to normal within 3 days. Bed rest is required for methaemoglobin levels in excess of 40%. Consider transfer to centre where haemoperfusion can be performed to remove the nitrates from the blood if the condition of the patient is unstable. Following inhalation of oxides of nitrogen the patient should be observed in hospital for 24 hours for delayed onset of pulmonary oedema.
5. FIRE FIGHTING MEASUR	RES

Suitable Extinguishing Media Water spray.

Unsuitable extinguishing media Carbon dioxide (CO2). Dry chemical.

Specific hazards arising from the chemical

Specific hazards arising from the chemical	Promotes the combustion (oxidizer). Can cause fire and explosion when in contact with flammable substances. Any material contaminated with the product (e.g. clothes) ignites easily and burns vigorously - increased fire hazard. Nitrate salts on their own are not combustible, however, they will support the combustion of other materials. Decomposes on heating emitting irritating white fumes and/or brown fumes. Brown fumes indicate the presence of toxic oxides of nitrogen.
Special protective actions for fire-fig	<u>ghters</u>
Special protective equipment for fire-fighters	Decomposes on heating emitting irritating white fumes and/or brown fumes. Brown fumes indicate the presence of toxic oxides of nitrogen. On detection of fire the compartment(s) should be opened up to provide maximum ventilation. Fire-fighters to wear self-contained breathing apparatus and suitable protective clothing if there is a risk of exposure to products of combustion/decomposition. If safe to do so, remove containers from path of fire. If safe to do so, prevent molten material from being confined in drains, pipes, etc.

Hazchem code

1Z

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal precautions	Avoid contact with skin, eyes and inhalation of vapors. ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area). Ensure adequate ventilation. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Stop leak if you can do it without risk. Use personal protective equipment as required. Wash thoroughly after handling.	
Other information	Keep combustibles (wood, paper, oil, etc) away from spilled material.	
For emergency responders	Use personal protection recommended in Section 8.	
Environmental precautions		
Environmental precautions	See Section 12 for additional Ecological Information.	
Methods and material for containment and cleaning up		
Methods for containment	Prevent further leakage or spillage if safe to do so.	
Methods for cleaning up	Use appropriate personal protective equipment (PPE). Carefully shovel or sweep up spilled material and place in suitable container. Avoid generating dust.	

7. HANDLING AND STORAGE

Precautions for safe handling

Advice on safe handling Avoid contact with skin, eyes, and clothing. Avoid generation of dust. Do not breathe dust. Do not eat, drink or smoke when using this product. Use personal protection equipment. Wash thoroughly after handling.

Conditions for safe storage, including any incompatibilities

Storage Conditions	Keep containers tightly closed in a dry, cool and well-ventilated place. Protect from moisture. Store away from foodstuffs. Keep container closed when not in use.
Incompatible materials	Reducing agents. Ammonium compounds. Strong acids.

Poisons Schedule (SUSMP)

None allocated

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Exposure Limits

No value assigned for this specific material by Safe Work Australia. However, Workplace Exposure Standard(s) for dusts and decomposition product(s):

Dusts not otherwise classified: 8hr TWA = 10 mg/m³ Nitrogen dioxide: 8hr TWA = 5.6 mg/m³ (3 ppm), 15 min STEL = 9.4 mg/m³ (5 ppm)

As published by Safe Work Australia Workplace Exposure Standards for Airborne Contaminants.

TWA - The time-weighted average airborne concentration of a particular substance when calculated over an eight-hour working day, for a five-day working week.

STEL (Short Term Exposure Limit) - the airborne concentration of a particular substance calculated as a time-weighted average over 15 minutes, which should not be exceeded at any time during a normal eight hour work day. According to current knowledge this concentration should neither impair the health of, nor cause undue discomfort to, nearly all workers.

These Workplace Exposure Standards are guides to be used in the control of occupational health hazards. All atmospheric contamination should be kept to as low a level as is workable. These workplace exposure standards should not be used as fine dividing lines between safe and dangerous concentrations of chemicals. They are not a measure of relative toxicity.

Appropriate engineering controls

Engineering controls

Apply technical measures to comply with the occupational exposure limits.

If in the handling and application of this material, safe exposure levels could be exceeded, the use of engineering controls such as local exhaust ventilation must be considered and the results documented. If achieving safe exposure levels does not require engineering controls, then a detailed and documented risk assessment using the relevant Personal Protective Equipment (PPE) (refer to PPE section below) as a basis must be carried out to determine the minimum PPE requirements.

Individual protection measures, such as personal protective equipment

The selection of PPE is dependent on a detailed risk assessment. The risk assessment should consider the work situation, the physical form of the chemical, the handling methods, and environmental factors.

OVERALLS, SAFETY SHOES, CHEMICAL GOGGLES, GLOVES, DUST MASK.



Method

Respiratory protection	If determined by a risk assessment an inhalation risk exists, wear a dust mask/respirator meeting the requirements of AS/NZS 1715 and AS/NZS 1716.
Environmental exposure controls	No information available.

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Physical state	Solid	
Appearance	Crystalline Powder	
Color	White	
Odor	Faint	
Odor threshold	No information available.	
Property	Values	Remarks •
рН	8-9 (100 g/L, 20°C)	None known
pH (as aqueous solution)	No data available	None known
Melting point / freezing point	306°C	None known
Boiling point / boiling range	No data available	None known
Flash point	Not applicable	None known
Evaporation rate	No data available	None known
Flammability (solid, gas)	No data available	None known
Flammability Limit in Air		None known
Upper flammability or explosive limits	Not applicable	
Lower flammability or explosive limits	Not applicable	
Vapor pressure	No data available	None known
Vapor density	No data available	None known
Relative density	2.26 @20°C	None known
Water solubility	874 g/l @ 20 °C	None known
Solubility(ies)	No data available	None known
Partition coefficient	No data available	None known
Autoignition temperature	Not applicable	None known
Decomposition temperature	>600°C	None known
Kinematic viscosity	No data available	None known
Dynamic viscosity	No data available	None known
Other information		
Molecular formula	NaNO3	

10. STABILITY AND REACTIVITY

Reactivity

 Reactivity
 Powerful oxidizing agent. Oxidizing agents may cause vigorous reactions. Contact with acids liberates toxic gas. Hygroscopic: absorbs moisture or water from surrounding air.

 Chemical stability
 Stability
 Stable under recommended storage conditions.

 Explosion data Sensitivity to mechanical impact None.
 Stable under recommended storage conditions.

Sensitivity to static discharge None.

Possibility of hazardous reactions	
Possibility of hazardous reactions	None under normal processing.
Conditions to avoid	
Conditions to avoid	Heat. Moisture. Dust formation.
Incompatible materials	
Incompatible materials	Reducing agents. Ammonium compounds. Strong acids.
Hazardous decomposition products	

Hazardous decomposition products Nitrogen oxides. Disodium oxide. Oxygen.

11. TOXICOLOGICAL INFORMATION

Acute toxicity

Information on likely routes of exposure

Product Information	No adverse health effects expected if the chemical is handled in accordance with this Safety Data Sheet and the chemical label. Symptoms or effects that may arise if the chemical is mishandled and overexposure occurs are:
Inhalation	May cause irritation.
Eye contact	Causes serious eye irritation.
Skin contact	May cause irritation. Nitrates can be absorbed through cut, burnt or broken skin.
Ingestion	Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhoea.
Symptoms	Irritation.

Numerical measures of toxicity - Product Information

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Sodium nitrate	= 1267 mg/kg (Rat)	-	-

See section 16 for terms and abbreviations

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritation	No information available.
Serious eye damage/eye irritation	Causes serious eye irritation.
Respiratory or skin sensitization	Not a skin sensitizer. (mouse).
Germ cell mutagenicity	No information available.
Carcinogenicity	Refer to 'Chronic effects' section below.
Reproductive toxicity	No information available.

STOT - single expessive	No information available
STOT - Single exposure	No information available.
STOT - repeated exposure	No information available.
Aspiration hazard	No information available.
Chronic effects:	NITRATES: Absorption of nitrates by ingestion, inhalation or through burnt or broken skin may cause dilation of the blood vessels by direct smooth muscle relaxation with a subsequent lowering of blood pressure and may also cause breathing difficulties, blueness of the skin (cyanosis) and methaemoglobinaemia. If nitrosating agents are used with this product, nitrosamines may form. Some nitrosamines have been shown to be carcinogenic in tests with laboratory animals.

12. ECOLOGICAL INFORMATION

Ecotoxicity

Ecotoxicity

Keep out of waterways.

Chemical name	Algae/aquatic plants	Fish	Toxicity to microorganisms	Crustacea
Sodium nitrate	-	LC50: =2000mg/L (96h, Lepomis macrochirus) LC50: 994.4 - 1107mg/L (96h, Oncorhynchus mykiss)	-	-

Persistence and degradability

Persistence and degradability

No information available.

Bioaccumulative potential

Bioaccumulation

No information available.

Chemical name	Partition coefficient
Sodium nitrate	-3.8

<u>Mobility</u>

Mobility in soil

No information available.

Other adverse effects

13. DISPOSAL CONSIDERATIONS

Waste treatment methods			
Waste from residues/unused products	Dispose of in accordance with local regulations. Dispose of waste in accordance with environmental legislation.		
Contaminated packaging	Empty containers should be taken to an approved waste handling site for recycling or disposal.		

14. TRANSPORT INFORMATION

<u>ADG</u>

Classified as Dangerous Goods by the criteria of the Australian Dangerous Goods Code (ADG Code) for Transport by Road and Rail; DANGEROUS GOODS.

UN number	1498
Proper shipping name	SODIUM NITRATE
Hazard class	5.1
Packing group	111
Hazchem code	1Z

IATA

Classified as Dangerous Goods by the criteria of the International Air Transport Association (IATA) Dangerous Goods Regulations for transport by air; DANGEROUS GOODS.

UN number	1498
UN proper shipping name	SODIUM NITRATE
Transport hazard class(es)	5.1
Packing group	111

IMDG

Classified as Dangerous Goods by the criteria of the International Maritime Dangerous Goods Code (IMDG Code) for transport by sea; DANGEROUS GOODS.

UN number	1498
UN proper shipping name	SODIUM NITRATE
Transport hazard class(es)	5.1
Packing group	111
IMDG EMS Fire	F-A
IMDG EMS Spill	S-Q

15. REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulations

Australia

Classified as dangerous goods in accordance with the Australian Code for the Transport of Dangerous Goods by Road and Rail (ADG).

Classified as a hazardous chemical in accordance with the criteria of Safe Work Australia - Globally Harmonized System (GHS).

See section 8 for national exposure control parameters

Poisons Schedule (SUSMP) None allocated

International Inventories	
AIIC	All the constituents of this material are listed on the Australian Inventory of Industrial
NZIOC	Chemicals. All the constituents of this material are listed on the New Zealand Inventory of Chemicals

Legend:

- Australian Inventory of Industrial Chemicals

International Regulations

The Montreal Protocol on Substances that Deplete the Ozone Layer Not applicable

The Stockholm Convention on Persistent Organic Pollutants Not applicable

The Rotterdam Convention Not applicable

16. OTHER INFORMATION

Reason(s) For Issue: 5 Yearly Revised Primary SDS

Issuing Date: 02-Sep-2021

This Safety Data Sheet has been prepared by Ixom Operations Pty Ltd (Toxicology and SDS Services).

Revision Note:

The symbol (*) in the margin of this SDS indicates that this line has been revised.

Key or legend to abbreviations and acronyms used in the safety data sheet

Legend	Section 8: EXPOSURE CONTROLS/PERSONAL	PROTECTION	
TŴA	TWA (time-weighted average)	STEL	STEL (Short Term Exposure Limit)
Ceiling	Maximum limit value	*	Skin designation
С	Carcinogen		

Key literature references and sources for data used to compile the SDS

EPA (Environmental Protection Agency) Acute Exposure Guideline Level(s) (AEGL(s)) U.S. Environmental Protection Agency Federal Insecticide, Fungicide, and Rodenticide Act U.S. Environmental Protection Agency High Production Volume Chemicals Food Research Journal Hazardous Substance Database International Uniform Chemical Information Database (IUCLID) Japan GHS Classification Australian Industrial Chemicals Introduction Scheme (AICIS) NIOSH (National Institute for Occupational Safety and Health) National Library of Medicine's ChemID Plus (NLM CIP) National Library of Medicine's PubMed database (NLM PUBMED) National Toxicology Program (NTP) New Zealand's Chemical Classification and Information Database (CCID) Organization for Economic Co-operation and Development Environment, Health, and Safety Publications Organization for Economic Co-operation and Development High Production Volume Chemicals Program Organization for Economic Co-operation and Development Screening Information Data Set RTECS (Registry of Toxic Effects of Chemical Substances) World Health Organization

Disclaimer

This SDS summarises to our best knowledge at the date of issue, the chemical health and safety hazards of the material and general guidance on how to safely handle the material in the workplace. Since Ixom Operations Pty Ltd cannot anticipate or control the conditions under which the product may be used, each user must, prior to usage, assess and control the risks arising from its use of the material.

If clarification or further information is needed, the user should contact their Ixom representative or Ixom Operations Pty Ltd at the contact details on page 1.

Ixom Operations Pty Ltd's responsibility for the material as sold is subject to the terms and conditions of sale, a copy of which is available upon request.

End of Safety Data Sheet